Appendix Pre-Configuring your laptop for the TSJr





Grab a cup of coffee and take 20 minutes *before you go to the classroom* to set-up your laptop

First thing is to REFRESH your UTORid STATUS

https://www.utorid.utoronto.ca/cgi-bin/utorid/verify.pl

(or go to www.utorid.utoronto.ca and click *verify* at the bottom) This will confirm that your UTORid is active & refresh it to work with the TSJr



You need to have administrator access to pre-configure your laptop

For Service Pack 3 (all XP laptops likely have SP3).

Different versions of XP may have slightly different buttons for getting to the control panel and network settings.





2/4

You've just opened the wired Autoconfig box.

	Wired AutoConfig Properties (Local Computer)	×
Change 'Startup Type' drop-down from 'Manual' to Automatic	General Log On Recovery Dependencies Service name: Dot3svc Display name: Wired AutoConfig	
Click APPLY	Description: This service performs IEEE 802.1X authentication on Ethernet interfaces	
Click START	Path to executable: C:\WINDOWS System32\svchost.exe +k dot3svc Startup type: Automatic	
(make sure you do those 3 in that order)	Service status: Stopped Start Stop Pause Resume	
Click OK (closes all windows)	You can specify the start parameters that apply when you start the service from here. Start parameters:	
	OK Cancel Apply	

Click START

(may need to go to **SETTINGS**) Open **CONTROL PANEL**

(may need to go to **NETWORK AND INTERNET CONNECTIONS**) Open **NETWORK CONNECTIONS**





	Shecwork connections
	Eile Edit View Favorites Tools Advanced Help
Right click on	🕜 Back 👻 🕥 👻 🏂 🔎 Search 🎼 Folders 🛛 🎹 🕶
	Address Stewark Connections
LOCAL AREA CONNECTION	Network Tasks A Image: Create a new Local Area Connection
select PROPERTIES	 Create a new connection Set up a home or small office network Change Windows Firewall settings Disable this network device Rename this connection Change settings of this connection
Click on the AUTHENTICATION TAB	🕹 Local Area Connection Properties
802.1X should be Checked	General Authentication
(by default)	Select this option to provide authenticated network access for
(if you don't see the Authentication tab then you do not have ADMINISTRATOR access - contact your IT department for configuration)	Choose a network authentication method: Protected EAP (PEAP) Settings
select Protected EAP (PEAP) from the drop down menu	Contractions for subsequent connections
If you want the computer to remember your UTORid, check ' Cache user information '. If you want to be prompted for your UTORid each time you plug into a TSJr, leave it blank.	OK Cancel
click on SETTINGS	







If you lose the pop-up bubble you can always get it back by unplugging and re-plugging in the network cable.